



PRODUCTS PORTFOLIO

www.velp.com

ANALYTICAL INSTRUMENTS

LABORATORY EQUIPMENT

VELP SCIENTIFICA

Established in 1983, VELP Scientifica is today one of the world's leading manufacturers of analytical instruments and laboratory equipment that has made an impact on the world-wide market with Italian products renowned for innovation, design and premium connectivity.

We owe our success to a rich patrimony of ideas, significant investments in R&D and technological development aiming at maximizing productivity as well as reducing time-to-market.

VELP is a pioneer of smart lab technology. Our analytical instruments and laboratory equipment are accelerating scientific work every day giving scientists the possibility to monitor and control VELP technology from a virtual dashboard accessible from any device, everywhere and anytime!

VELP is today a global company with an expanding local focus. Our internationalization process has led us to open local subsidiaries that provide service to our customers in different parts of the world:

- **VELP Scientific, Inc.** in Long Island (USA) offering sales and technical support for the United States, Canada, and Mexico.
- **VELP China Co. LTD** in Shanghai guarantees a local presence in China through commercial and technical support.

VELP has always generated value for its customers through close cooperation with its qualified distribution network which today counts more than 300 distributors in 130 countries.

ERMES | SMART LAB CLOUD PLATFORM

VELP Ermes creates a connected ecosystem of devices, people and data that transmit information between each other cutting down distances and expanding your scientific potential.




Monitor and Control your instruments

Monitor and manage multiple instruments 24/7 from your internet devices. Real-time visualization of your analysis and of the instrument working conditions. Immediate notifications and alerts.



Remote Service Support

Faster and smarter Service Support thanks to the direct contact with VELP specialists and official partners. With VELP Ermes we can guide you to get the maximum from your instrument.



Safely Manage your Data

Collect and store your data with the maximum level of encryption and cyber-security standards. Generate and share reports of your analysis in multiple formats.



Your Instrument Always Updated

Effortlessly connect your instrument via secure Wi-Fi or cable and update the software immediately and free of charge.

TO DISCOVER MORE VISIT WWW.VELP.COM



Analytical Instruments

- ELEMENTAL ANALYZERS
- DIGESTION UNITS
- DISTILLATION UNITS
- SOLVENT EXTRACTORS
- FIBER ANALYZERS
- DIETARY FIBER ANALYZERS
- OXIDATION STABILITY REACTOR
- CONSUMABLES

N/PROTEIN ELEMENTAL Analyzers

The Dumas technique is used for the quantitative determination of Nitrogen in chemical substances based on the combustion method first described by the French chemist Jean-Baptiste Dumas.

NDA Series provides results in 3-4 minutes with a low detection limit (0.001 mgN, with Helium - NDA 702) and an excellent RSD% (<0.5% with EDTA standard), keeping low cost per analysis.



NDA 702



■ Helium and Argon as carrier gas

NDA 701



■ Helium as carrier gas



ermes enabled

CARBON / NITROGEN ELEMENTAL Analyzer

The determination of Carbon, Nitrogen and Carbon/Nitrogen ratio is a fundamental analysis in the agricultural and environmental industries. The VELP CN 802 is a versatile solution ideal for applications including soils, plants, fertilizers, food, feed, starches, wastewater, wastes, sediments and sludges.

The instrument assures low cost per analysis, rapid process results (from 3 to 5 min), high productivity and a low LOD both for Carbon (0.01 mg C) and Nitrogen (0.001 mg N with Helium).

CN 802



■ Helium and Argon as carrier gas



ermes enabled


AUTOMATIC DIGESTION Units

The DKL Series digestion units are the most compact digestors in the market ensuring reliable and accurate mineralizations with aluminum heating block technology.

Fully automatic digesters, powered by a powerful microprocessor control the lifting of test tubes and guarantee temperature stability of ± 0.5 °C.



DKL 8



DKL 12




DKL 20



DKL 42/26



■ Semi automatic models available



DISTILLATION Units

The UDK Series distillation units are the ideal solution for performing analyses of different applications such as determining ammoniacal nitrogen, protein nitrogen, (Kjeldahl or direct alkaline distillation), nitric nitrogen (after reduction), phenols, volatile acids, cyanides, alcohol content, sulphur dioxide, TVBN and Devarda nitrogen determination.



UDK 129



- Automatic Addition of NaOH

UDK 139



- Automatic Addition NaOH - H₂O

UDK 149



- Automatic Addition NaOH - H₂O - H₃BO₃
- Potentiometric titration

UDK 159



- Automatic Addition NaOH - H₂O - H₃BO₃
- Colorimetric titration

UDK 169
& AutoKjel

- Automatic Addition NaOH - H₂O - H₃BO₃
- Colorimetric titration
- Autosampler



OXIDATION Stability Reactor

VELP OXITEST is the innovative solution for the study of lipid oxidation stability. With the OXITEST it is possible to analyze the whole sample without extensive sample preparation.

AOCS Standard procedure Cd 12c-16

Accelerated Oxidation Test for the Determination of the Oxidation Stability of Foods, Oils and Fats using the Oxitest Oxidation Test Reactor

OXITEST



ermes enabled

SOLVENT Extractors

The SER 148 and SER 158 solvent extractors perform fast solid-liquid extractions on a variety of sample types. The SER 148 Series is a semi-automatic solution with no compromises on operator safety (IP55) and solvent consumption also guaranteeing a limited cost per analysis. The SER 158 is a fully automated solvent extractor offering state-of-the-art technology, full safety, precision and smart data management. HU 6 is the ideal solution for the acid and basic hydrolysis of food and feed samples prior to solvent extraction.



SER 158 Series only

SER 158



- 3 or 6 positions
- Fully automatic solution

SER 148



- 3 or 6 positions
- Semi automatic solution

HU 6



- 6 positions
- Acid and Basic Hydrolysis



ermes enabled

FIBER Analyzers

The FIWE Series is used to determine the quantity of raw fiber according to Wendee, Van Soest and other Official Methods. FIWE is the semi-automatic solution. FIWE Advance is the fully automatic analyzer providing automatic reagent addition, Load&Go operation, an intuitive user interface and cloud connectivity.



FIWE Advance only

FIWE Advance



- 6 positions
- Fully automatic solution

FIWE



- 3 or 6 positions
- Semi automatic solution

COEX



- 6 positions
- Cold Extractor for fat separation



ermes enabled

DIETARY FIBER Analyzers

Dietary Fiber determination according to AOAC enzymatic method 985.29, by digesting the sample with enzymes and final filtration. Dietary fiber extraction is carried out on foods intended for human nourishment.

GDE



- 6 positions
- Enzymatic digestion system

CSF 6



- 6 positions
- Filtration Unit



CONSUMABLES

VELP provides a wide range of genuine consumables designed to ensure optimum performance for Elemental Analyzers, Kjeldahl Analyzers and Solvent Extractors.

ELEMENTAL ANALYZERS



High-quality quartz tubes, crucibles, tin foils; long-life and premium reagents and catalysts; calibration standards (EDTA, 9.57% N), o-rings, seals and fittings.

KJELDAHL ANALYZERS



Genuine Catalyst tablets KjTabs™, Vreceiver™ Boric Acid powder formula with indicators and Nitrogen-free Weighing Boats for reliable Kjeldahl analysis.

SOLVENT EXTRACTORS



Three different glass cup sizes, aluminum cup, cellulose thimbles and glass fiber thimbles; butyl, viton and vaflon seals; boiling stones.

Laboratory Equipment

- MAGNETIC STIRRERS
- HEATING MAGNETIC STIRRERS
- HEATING PLATES
- OVERHEAD STIRRERS
- VORTEX MIXERS
- HOMOGENIZERS
- COD THERMOREACTORS
- BOD AND RESPIROMETERS
- COOLED INCUBATORS
- FLOCCULATORS
- OVERHEAD SHAKERS
- TURBIDIMETER
- RADIATION DETECTOR
- OPEN CIRCULATING BATHS

MAGNETIC Stirrers

Specially designed for chemical, biotechnological, pharmaceutical, microbiological and medical applications such as growing microorganisms, dissolving nutrients and solids and preventing suspended matter from setting during titration. VELP Scientifica's magnetic stirrers offer solutions for diversified laboratory applications and the highest safety standards available on the market, with sample volumes ranging from 250 ml to 50 L.



SINGLE POSITION

ANALOG



MST
Up to 1100 rpm - 5 L



MICROSTIRRER
Up to 1100 rpm - 5 L



MSL 8
Up to 1500 rpm - 8 L



ESP
Up to 1100 rpm - 5 L

ILLUMINATED



AMI
Up to 1100 rpm - 5 L



MST Digital
Up to 1500 rpm - 5 L



MSL 8 Digital
Up to 1500 rpm - 8 L



MSL 25 Digital
Up to 1500 rpm - 25 L



MSL 50 Digital
Up to 1000 rpm - 50 L

MULTIPOSITION



MULTISTIRRER 6
Stainless Steel Top - 0.4 L (x6)



MULTISTIRRER 15
Stainless Steel Top - 0.25 L (x15)



AMI 4
Up to 1100 rpm - 5 L (x4)



MULTISTIRRER 6 Digital
Stainless Steel Top - 0.4 L (x6)



MULTISTIRRER 15 Digital
Stainless Steel Top - 0.25 L (x15)

HEATING MAGNETIC Stirrers

Hot plate stirrers are suitable for a great variety of applications when mixing and heating is required. VELP always provides the best instrument to fulfill any lab requirement, from basic applications to cloud controlled thermoregulation.



ROUND TOP



ARE-6
Aluminum Alloy plate - 370 °C - 20 L



AREX-6
CerAlTop™ plate - 370 °C - 20 L



AREX-6 Digital PRO
CerAlTop™ plate - 370 °C - 20 L



ermes enabled

AREX-6 Connect PRO
CerAlTop™ plate - 370 °C - 20 L



ARE
Aluminum Alloy plate - 370 °C - 15 L



AREX
CerAlTop™ plate - 370 °C - 20 L



AREX Digital PRO
CerAlTop™ plate - 370 °C - 20 L

SQUARE TOP



HSC
Ceramic plate - 400 °C - 15 L



AREC
Ceramic plate - 550 °C - 15 L



AREC.X
Ceramic plate - 550 °C - 15 L



AREC.T
Ceramic plate - 550 °C - 15 L

MULTIPOSITION



AM4
Aluminum Alloy plate - 370 °C - 15 L (x4)



AM4 Digital PRO
CerAlTop™ plate - 370 °C - 15 L (x4)



MULTI-HS 6 Digital
CerAlTop™ plate - 120 °C - 0.4 L (x6)



MULTI-HS 15 Digital
CerAlTop™ plate - 120 °C - 0.25 L (x15)

OVERHEAD Stirrers

VELP Scientifica offers a complete range of overhead stirrers with state-of-the-art stirring power and smart features for a wide range of applications. VELP overhead stirrers can work continuously, even in challenging environments.

Many reliable solutions are available for different requirements in terms of viscosity and volume. OHS Advance models offer unique features and cloud connectivity.

Controller Advance & Digital

The VELP Controller Advance and Digital are the innovative solutions to control brushless motors of process reactors. Digital interface, maximum precision, timer and torque monitoring make VELP Controller the state-of-the-art solution for reactors of up to 100 L volume and motors of up to 280 Ncm torque.



ermes enabled

Controller Advance



Controller Digital



TORQUE (Ncm)

ANALOG

15/20



ES
Up to 15 L

40



LS
Up to 25 L

60

80



LH
Up to 40 L

100



PW
Up to 70 L

120

200

DIGITAL



OHS 20 Digital
Up to 25 L



DLS
Up to 25 L



OHS 60 Digital
Up to 40 L



DLH
Up to 40 L



OHS 100 Digital
Up to 100 L



OHS 200 Digital
Up to 100 L



OHS 40 Digital
Up to 25 L



ermes enabled
OHS 60 Advance
Up to 40 L



ermes enabled
OHS 100 Advance
Up to 100 L



ermes enabled
OHS 200 Advance
Up to 100 L

VORTEX Mixers

Vortex mixers are suitable for mixing substances in any shape or size of test tube thanks to the orbital movement of the rubber cup. Manual, continuous and IR sensor operating modes meet the multiple needs of every laboratory with high safety standards.

VELP's unique IR sensor system activates vibration without the need to apply pressure. The ergonomic and highly innovative design along with the zinc base ensures excellent stability on the bench, usable on many surfaces.



ANALOG

DIGITAL



RX3
Electronic speed regulation:
Constant 3000 rpm



ZX3
Electronic speed regulation:
Up to 3000 rpm



CLASSIC
Electronic speed regulation:
Up to 3000 rpm



ZX4
Electronic speed regulation:
Up to 3000 rpm



WIZARD
Electronic speed regulation:
Up to 3000 rpm



TX4
Electronic speed regulation:
Up to 3000 rpm
Integrated timer

HOMOGENIZER

The OV5 Homogenizer is the ideal solution for dispersing, homogenizing, mixing and grinding biological tissue samples (cells, animal and plant tissues), pharmaceutical products, cosmetics and food products. A single shaft can be combined with a wide selection of stator and rotor configurations according to the specific application for which it is to be used.

Flexible, easy-to-use, rapid and user-friendly stator and rotor interchangeability.

OV5



SHAFT



STATOR



ROTOR



COD Thermoreactors

Chemical Oxygen demand is an important parameter for water and wastewater characterization, to test pollution levels.

Thermoreactors for COD analysis and sample preparation to determine both metallic and non-metallic elements in organic and inorganic materials such as minerals, alloys, animal feeds, soils, sediments and organic tissues.

ECO 6



- 6 positions
- LED display

ECO 8



- 8 positions
- 4 analysis times

ECO 16



- 16 positions
- LED display

ECO 25



- 25 positions
- 4 analysis times



BOD and RESPIROMETERS

VELP solutions for BOD and Respirometric analysis provide a precise, reliable and compact solution to laboratories of water and wastewater quality control, organic waste treatment plants, renewable energy production end environmental labs studying the effects of plastic and other pollutants in water and soils.

Together with wireless data transmission to the PC, the RESPIROMETRIC Sensor features exclusive connectivity to the VELP Ermes Cloud Platform and has a wide application range since it is suitable for aerobic and anaerobic degradation analysis.



BOD
Sensor System



- BOD
- 6 and 10 positions
- Results on display

RESPIROMETRIC
Sensor System
BOD



- BOD - Aerobic
- 6 positions
- Results on display and RESPIROSoft™

RESPIROMETRIC
Sensor System
MAXI - BMP



- BMP - Anaerobic
- 6 positions
- Results on display and RESPIROSoft™

RESPIROMETRIC
Sensor System
for Plastic Analysis



- Plastic Biodegradability
- 6 positions
- Results on display and RESPIROSoft™

RESPIROMETRIC
Sensor System
for Soil Analysis



- Soil Analysis
- Results on display and RESPIROSoft™

COOLED Incubators

For those applications where the monitoring of the sample is extremely important, VELP has developed a line of incubators that offer the possibility of visually examining the contents without interfering with the thermal cycle in progress.

FTC 120



- 20°C constant

FOC 120E Connect



- From 3 to 50 °C

FOC 120I Connect



- From 3 to 50 °C
- Internal transparent door

FOC 200E Connect



- From 3 to 50 °C

FOC 200I Connect



- From 3 to 50 °C
- Internal transparent door

FOC 200IL Connect



- From 3 to 50 °C
- Internal transparent door
- Illuminated



COOLED INCUBATORS

FLOCCULATORS

VELP Scientifica has developed a complete line of instruments to support the lab technician working in the environmental sector and for the separation of pollutants in wastewater treatment plants in particular.

FP4



- 4 positions
- Portable flocculator

FC4S AND FC6S



- 4 or 6 positions
- Individual speed and time setting

JLT 4 AND JLT 6



- 4 or 6 positions
- Programmable speed and time
- Digital



OTHER LABORATORY EQUIPMENT Solutions

OVERHEAD Shakers



ROTAX 6.8

- Digital display
- From 0 to 30 rpm

OCB Open Circulating Baths



OCB

- Timer and digital display
- Excellent temperature homogeneity up to 105°C

TURBIDIMETER



TBI

- Portable and impermeable
- Results in NTU (Nephelometric Turbidity Units)

RADIATION Detector



RADIATION DETECTOR

- Geiger-Muller tube

SERVICE & SUPPORT

VELP designs and manufactures Analytical Instruments and Laboratory Equipment to resist years of laboratory use. Our instruments are produced with premium materials to guarantee the best performance with maximum safety. Proper and regular maintenance is necessary to ensure the highest performance of your analytical instrument. VELP Service Department and VELP Official Partners are always ready to offer you maintenance and service support tailored to your needs.



INSTALLATION



PREVENTIVE MAINTENANCE



HELP-DESK AND REMOTE SUPPORT



TECHNICAL ASSISTANCE



APPLICATION SUPPORT



CALIBRATION CERTIFICATION

TO DISCOVER MORE VISIT WWW.VELP.COM

www.velp.com

Rev 4.12.2020 - 10006352



ITALY – HQ Via Stazione 16 20865 Usmate (MB) Italy

Tel. +39 039 628811 - velpitalia@velp.com

USA 155 Keyland Court, Bohemia - NY 11716 - U.S.

Tel. +1 631 573 6002 - velpusa@velp.com

CHINA Building 28, Lane 1333, Xinlong road, Minhang district, Shanghai

Tel. +86 18017557329 - velpchina@velp.com

INDIA velpindia@velp.com

We reserve the right to make technical alterations.
We do not assume liability for errors in printing,
typing or transmission



DESIGNED AND MANUFACTURED IN ITALY

